VOL. 536, NOS. 1+2 JOURNAL OF CHROMATOGRAPHY JANUARY 4, 1991

CONTENTS

14TH INTERNATIONAL SYMPOSIUM ON COLUMN LIQUID CHROMATOGRAPHY, BOSTON, MA, MAY 20–25, 1990, PART II

Metal ligand-induced alterations in the surface structures of lactoferrin and transferrin probed by interaction with immobilized copper(II) ions
by T. W. Hutchens and T.-T. Yip (Houston, TX, U.S.A.) 1

Effect of metal ions on the unfolding kinetics of α-lactalbumin on weakly hydrophobic surfaces
by S. Lin, P. Oroszlan and B. L. Karger (Boston, MA, U.S.A.) 17

Capillary zone electrophoresis of α_1-acid glycoprotein fragments from trypsin and endoglycosidase digestions
by W. Nashabeh and Z. El Rassi (Stillwater, OK, U.S.A.) 31

Non-ideal behaviour of silica-based stationary phases in trifluoroacetic acid–acetonitrile-based reversed-phase high-performance liquid chromatographic separations of insulins and proinsulins
by S. Linde and B. S. Welinder (Gentofte, Denmark) 43

Optimization of experimental conditions in preparative liquid chromatography. Trade-offs between recovery yield and production rate
by S. Golshan-Shirazi and G. Guiochon (Knoxville and Oak Ridge, TN, U.S.A.) 57

Applications of preparative high-performance liquid chromatography in oleochemical research
by A. Bruns (Santa Rosa, CA, U.S.A.) 75

Large-scale purification of haptenated oligonucleotides using high-performance liquid chromatography
by R. L. Morgan and J. E. Celebuski (Abbott Park, IL, U.S.A.) 85

Purification of proteins on an epoxy-activated support by high-performance affinity chromatography
by D. J. Phillips, B. Bell-Alden, M. Cava, E. R. Grover and W. H. Mandeville (Milford, MA, U.S.A.), R. Mastico (Leeds, U.K.), W. Sawlivich and G. Vella (Milford, MA, U.S.A.) and A. Weston (Kingston, RI, U.S.A.) 95

High-performance liquid chromatography for the assessment of glucoamylase, immobilized on metallic membranes
by H. J. Wang and R. L. Thomas (Clemson, SC, U.S.A.) 107

Analysis of protein denaturation by high-performance continuous differential viscometry
by P. K. Dutta, K. Hammons, B. Willibey and M. A. Haney (Porter, TX, U.S.A.) 113

Cation-exchange high-performance liquid chromatography of synthetic salmon calcitonin
by M. E. Munera, F. R. Borger, E. Flanigan and D. K. Parikh (Kankakee, IL, U.S.A.) . 123

Phosphate-gradient high-performance liquid chromatographic method for the analysis of synthetic salmon calcitonin
by W. J. Mayer, D. A. Long and D. K. Parikh (Kankakee, IL, U.S.A.) 131

Isocratic high-performance liquid chromatography–photodiode-array detection method for determination of lysine- and arginine-vasopressins and oxytocin in biological samples
by P. S. Rao, G. S. Weinstein, D. W. Wilson, N. Rujikarn and D. H. Tyras (New Hyde Park, NY, U.S.A.) 137

High-performance liquid chromatography–time-of-flight mass spectrometry and its application to peptide analyses
by R. C. Simpson, W. B. Emary, I. Lys, R. J. Cotter and C. C. Fenselau (Baltimore, MD, U.S.A.) 143

High-performance affinity chromatography of immunoglobulin E on a column of dinitrophenylamino acids covalently bound to a highly cross-linked polymeric micropellicular support
by S. Wongyai, J. M. Varga and G. K. Bonn (Innsbruck, Austria) 155

High-performance liquid chromatography of amino acids, peptides and proteins. CVII. Analysis of group retention contributions for peptides separated with a range of mobile and stationary phases by reversed-phase high-performance liquid chromatography
by M. C. J. Wilce, M. I. Aguilar and M. T. W. Hearn (Clayton, Australia) 165

Separation and study of corrinoid cobalt-ligand isomers by high-performance liquid chromatography
by S. H. Ford, A. Nichols and J. M. Gallery (Chicago, IL, U.S.A.) 185

Use of ion-exclusion chromatography for monitoring fatty acids produced by bacterial anaerobic degradation of tetrachloroethene in ground water
by N. Chamkasem, K. D. Hill and G. W. Sewell (Ada, OK, U.S.A.) 193

Evaluation of chemical structural homogeneity of cationic acrylamide copolymers by high-performance liquid chromatography
by S. S. Huang (Wilmington, DE, U.S.A.) 203

High-performance liquid chromatographic separation of the three stereoisomers of diaminopimelic acid in hydrolysed bacterial cells
by M. Zanol and L. Gastaldo (Gerenzano, Italy) 211

Post-column reaction for simultaneous analysis of chromatic and leuco forms of malachite green and crystal violet by high-performance liquid chromatography with photometric detection
by J. L. Allen and J. R. Meinertz (La Crosse, WI, U.S.A.) 217

Simplified high-performance liquid chromatography method for the simultaneous analysis of tebuthiuron and hexazinone
by J. Lydon, B. F. Engelke and C. S. Helling (Beltsville, MD, U.S.A.) 223

Determination of neurochemicals in biological fluids by using an automated high-performance liquid chromatographic system with a coulometric array detector
by V. Rizzo and G. M. D'Eril (Pavia, Italy) and G. Achilli and G. P. Cellerino (Parabiago, Italy) 229

High-performance liquid chromatography of deoxyribonucleoside di- and triphosphates in tomato roots
by I. Dutta, P. K. Dutta, D. W. Smith and G. A. O'Donovan (Denton, TX, U.S.A.) . . . 237

Liquid chromatographic separation of isomeric phenanthrols on monomeric and polymeric C_{18} columns
by Z. Bao and S. K. Yang (Bethesda, MD, U.S.A.) 245

Gel permeation chromatographic determination of starches using alkaline eluents
by T. Suortti and E. Pessa (Espoo, Finland) 251

Liquid chromatographic analysis of a potential polymeric-pendant drug delivery system for peptides. Application of high-performance size-exclusion chromatography, reversed-phase high-performance liquid chromatography and ion chromatography to the evaluation of biodegradable poly[(chloromethoxytrialanine methyl ester)phosphazenes]
by W. M. Eickhoff and G. G. Liversidge (Great Valley, PA, U.S.A.) and R. Mutharasan (Philadelphia, PA, U.S.A.) 255

Quantitation of adenosine, inosine and hypoxanthine in biological samples by microbore-column isocratic high-performance liquid chromatography
by R. H. Gayden (Houston, TX, U.S.A.), B. A. Watts, III and R. E. Beach (Galveston, TX, U.S.A.) and C. R. Benedict (Houston, TX, U.S.A.) 265

High-performance liquid chromatographic detection of hydroxylated benzoic acids as an indirect measure of hydroxyl radical in heart: its possible link with the myocardial reperfusion injury
by D. K. Das and G. A. Cordis (Farmington, CT, U.S.A.), P. S. Rao (New Hyde Park, NY, U.S.A.) and X. Liu and S. Maity (Farmington, CT, U.S.A.) 273

Determination of 3-methylhistidine in hydrolysed proteins by fluorescamine derivatization and high-performance liquid chromatography
by L. Dalla Libera (Padova, Italy) 283

Refractive index gradient detection of biopolymers separated by high-temperature liquid chromatography
by C. N. Renn and R. E. Synovec (Seattle, WA, U.S.A.) 289

Size-exclusion chromatography of lignocellulosics in wheat straw
by G. C. Galletti and G. Chiavari (Bologna, Italy) 303

High-performance liquid chromatographic detection of myocardial prostaglandins and thromboxanes
by G. A. Cordis and D. K. Das (Farmington, CT, U.S.A.) 309

Rapid and simple high-performance liquid chromatographic determination of tricyclic antidepressants for routine and emergency serum analysis
by M. P. Segatti, G. Nisi, F. Grossi and M. Mangiarotti (Trieste, Italy) and C. Lucarelli (Rome, Italy) 319

High-performance liquid chromatographic evaluation of 2-(α-thenoylthio)propionylglycine and its two metabolites in biological fluids
by A. Marzo, E. A. Martelli, G. Bruno and D. Nava (Rome, Italy) and A. Mignot, R. Vidal and M. A. Lefebvre (Saint Benoit, France) 327

High-performance liquid chromatographic method for the determination of prolyl peptides in urine
by M. Codini, C. A. Palmerini and C. Fini (Perugia, Italy), C. Lucarelli (Rome, Italy) and A. Floridi (Perugia, Italy) 337

High-performance liquid chromatographic determination of bleomycins
by H.-P. Fiedler and J. Wachter (Tübingen, F.R.G.) 343

Isolation of 6-mercaptopurine in human plasma by aluminum ion complexation for high-performance liquid chromatographic analysis
by K. T. Lin, F. Varin, G. E. Rivard and J.-M. Leclerc (Montreal, Canada) 349

Reversed-phase ion-pair liquid chromatography of the angiotensins
by H. B. Patel, J. F. Stobaugh and C. M. Riley (Lawrence, KS, U.S.A.) 357

Author Index Vols. 535 and 536 371